



THE EDGE OF INNOVATION

**GHS COMPLIANT SAFETY DATA SHEET**

TO COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR.1910.1200 & THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS

**SECTION 1: IDENTIFICATION**

PRODUCT NAME	Isocryl® GMA-300G
MFR.'S CODE ID/SYNONYMS	Isocryl® GMA-300G, GMA-300G
CAS NUMBER	Proprietary
PRODUCT USE	Solid acrylic resin for powder coatings
RESTRICTIONS ON USE	For industrial use only
MANUFACTURER/SUPPLIER	Estron Chemical, Inc.
ADDRESS	807 North Main Street, Calvert City, KY 42029 USA
GENERAL INFORMATION	(270) 395-4195
EMERGENCY TELEPHONE	CHEMTREC (800) 424-9300


**SECTION 2: HAZARDS IDENTIFICATION**

**Signal Word:** *Danger*

**GHS Classification**

Physical	Health	Environmental
OSHA Combustible Dust	Germ Cell Mutagenicity – Category 2 Carcinogenicity – Category 1B Toxic to Reproduction – Category 1B	<i>None</i>

**GHS Label**

<p><b>Symbols:</b> Health Hazard </p>	
<p><b>Hazard Statements</b>            H341: Suspected of causing genetic defects            H350: May cause cancer            H360: May damage fertility or the unborn child            May form combustible dust concentrations in air.</p>	<p><b>Precautionary Statements</b>  <i>Prevention</i>            P201: Obtain special instructions before use.            P202: Do not handle until all safety precautions have been read and understood.            P280: Wear protective gloves/protective clothing/eye protection/face protection.  <i>Response</i>            P308+313: IF exposed or concerned: Get medical advice/attention.  <i>Storage</i>            P405: Store locked up.  <i>Disposal</i>            P501: Dispose of contents/container to an authorized hazardous waste handler.</p>

HAZARDS NOT OTHERWISE CLASSIFIED: None identified.

### **SECTION 3: COMPOSITION/ INFORMATION ON INGREDIENTS**

<b>HAZARDOUS INGREDIENTS</b>	<b>CAS #</b>	<b>%</b>	<b>CLASSIFICATION</b>	<b>H CODES</b>
Acrylic Polymer	Proprietary	100	OSHA Combustible Dust	<i>None</i>
Glycidyl Methacrylate	106-91-2	0 – 0.3 *	Flammable Liquid – Category 4 Acute Toxicity, Oral – Category 4 Acute Toxicity, Dermal – Category 3 Acute Toxicity, Inhalation – Category 3 Skin Corrosion/Irritation - Category 1A Eye Damage/Irritation - Category 1 Skin Sensitization - Category 1 Germ Cell Mutagenicity – Category 2 Carcinogenicity – Category 1B Toxic to Reproduction – Category 1B Specific target organ toxicity, single exposure (Inhalation) – Category 1	H227 H302 H311 H331 H314 H318 H317 H341 H350 H360 H370

*\* Measured levels can vary when analysis temperatures exceed 180 °C.*

*(See Section 8 for Exposure Limits)*

### **SECTION 4: FIRST-AID MEASURES**

#### **SYMPTOMS OF EXPOSURE**

ACUTE	Temporary mild skin or eye irritation.
DELAYED	Stinging, tearing, redness and swelling of the eyes. Redness or burning of the skin.
INHALATION	Not applicable, unless heated past the decomposition point or dust is allowed to accumulate in the air while handling. If so, remove to fresh air. If exposed or concerned, get medical advice or attention.
SKIN CONTACT	Mildly irritating to the skin. Wash thoroughly with soap and water. If skin irritation persists, consult a doctor. If exposed or concerned, get medical advice or attention.
EYE CONTACT	Mildly irritating to the eyes. Wash with plenty of water for 15 minutes. Consult a physician.
INGESTION	If ingested, seek medical attention. If exposed or concerned, get medical advice or attention.
SPECIFIC TREATMENT	No other specific treatments are known or have been identified.

### **SECTION 5: FIRE FIGHTING MEASURES**

FLAMMABILITY CLASSIFICATION	OSHA Combustible Dust
FLAMMABLE LIMITS	No test data available
HAZARDOUS COMBUSTION PRODUCTS	Carbon monoxide and carbon dioxide.
EXTINGUISHING MEDIA	Dry Chemical, Water Fog, CO <sub>2</sub>
UNUSUAL FIRE AND EXPLOSION HAZARDS	May represent a combustion hazard if dust from this material is allowed to accumulate in the air.
SPECIAL FIRE FIGHTING PROCEDURES	None known.
SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS	As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full (Bunker) protective gear.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS	Prevent contact with skin, eyes and clothing.
PROTECTIVE EQUIPMENT	See Personal Protective Equipment in Section 8.
EMERGENCY PROCEDURES	Avoid unnecessary exposure to bystanders, prevent contact with open flames or other ignition sources.
ENVIRONMENTAL PRECAUTIONS	Obey relevant local, state, provincial and federal laws and regulations.

METHODS AND MATERIALS FOR  
CLEANING UP

Avoid creating excessive dust while collecting. Sweep or scoop into a suitable container for disposal.

**SECTION 7: HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING Do not allow dust to concentrate in the air from handling. If necessary, use local ventilation. Handle in accordance with good industrial hygiene and safety practice.

CONDITIONS FOR SAFE STORAGE Store in cool areas. Keep containers closed. The product shelf life is three years from date of manufacture in the original, unopened container stored at 20 °C.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

INGREDIENTS	CAS #	%	ACGIH TLV	OSHA PEL
Acrylic Polymer	Proprietary	100	<i>None established</i>	<i>None established</i>
Glycidyl Methacrylate	106-91-2	0 – 0.3	<i>None established</i>	<i>None established</i>

APPROPRIATE ENGINEERING CONTROLS None required.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE Safety glasses or goggles.

SKIN Impervious protective gloves and clothing as appropriate to prevent skin contact.

RESPIRATORY An appropriate NIOSH approved respirator for Dust.

HYGIENE MEASURES Handle in accordance with good industrial hygiene and safety practices. When using, do not eat, drink or smoke. Wash face and hands before breaks and at the end of work. Wash contaminated clothing before re-use.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Clear ground flakes	ODOR	Mild, esteric
ODOR THRESHOLD	No test data available	pH	No test data available
MELTING POINT	No test data available	BOILING POINT/RANGE	>200 °C
FLASH POINT	Over 200 °F	EVAPORATION RATE	No test data available
FLAMMABILITY	OSHA Combustible Dust		
FLAMMABLE LIMITS	LOWER No test data available	UPPER	No test data available
VAPOR PRESSURE	No test data available	VAPOR DENSITY	No test data available
RELATIVE DENSITY	1.10 – 1.30 @ 20 °C	SOLUBILITY IN H <sub>2</sub> O	Not readily soluble
PARTITION COEFFICIENT (n-octanol/water)	No test data available	AUTOIGNITION TEMPERATURE	No test data available
DECOMPOSITION TEMPERATURE	> 250 °C	VISCOSITY	No test data available
% VOLATILE	2 Maximum	SOFTENING POINT	110 – 120 °C

**SECTION 10: STABILITY AND REACTIVITY**

REACTIVITY This product does not pose a significant reactivity hazard when stored appropriately (see Section 7).

STABILITY This product is stable when stored appropriately (see Section 7).

CONDITIONS TO AVOID Excessive heat and open flame, material dust accumulation.

INCOMPATIBLE PRODUCTS Strong oxidizing or reducing agents.

HAZARDOUS DECOMPOSITION PRODUCTS Carbon dioxide and carbon monoxide.

POSSIBILITY OF HAZARDOUS REACTIONS Will not occur

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### SYMPTOMS OF EXPOSURE

ACUTE	Temporary mild skin or eye irritation. Coughing.
DELAYED	Stinging, tearing, redness and swelling of the eyes. Redness or burning of the skin. Irritation of the lungs and airways.

### ACUTE TOXICITY INHALATION

May be mildly irritating.

### SKIN

In some cases, skin contact will cause mild, but reversible, irritation.

### EYES

In some cases, eye contact will cause mild, but reversible, irritation.

### INGESTION

Not likely to have harmful effects in normal exposures, may cause nausea or gastric distress if ingested in quantity.

### INHALATION TOXICITY

LC <sub>50</sub> Rabbit, 4 hours	Acrylic Polymer GMA	Not established 241 ppm
----------------------------------	------------------------	----------------------------

### DERMAL TOXICITY

LD <sub>50</sub> Rabbit	Acrylic Polymer GMA	Not established 480 mg/kg
-------------------------	------------------------	------------------------------

### SKIN IRRITATION

Draize, Rabbit, 24 hours	Acrylic Polymer GMA	Not established Corrosive
--------------------------	------------------------	------------------------------

### EYE IRRITATION

Draize, Rabbit, 7 days	Acrylic Polymer GMA	Not established Risk of serious damage to the eyes.
------------------------	------------------------	--

### ORAL TOXICITY

LD <sub>50</sub> Rat	Acrylic Polymer GMA	Not established 597 mg/kg
----------------------	------------------------	------------------------------

### SENSITIZATION

Draize, Rabbit	Acrylic Polymer GMA	Not established Skin contact may cause an allergic skin reaction.
----------------	------------------------	--

### CHRONIC EFFECTS

#### CARCINOGENICITY

Possible human carcinogen, has caused cancer in laboratory animals.

#### MUTAGENIC EFFECTS

In vitro genetic toxicity studies were positive. Animal genetic toxicity studies were negative in some cases and positive in other cases.

#### REPRODUCTIVE TOXICITY

May damage fertility. In animal studies, has been shown to interfere with fertility. Presumed reproductive toxicant.

#### TARGET ORGAN EFFECTS

None known

## **SECTION 12: ECOLOGICAL INFORMATION**

ECOTOXICITY Not known to be harmful to aquatic life.

TOXICITY TO FISH	LC <sub>50</sub> Oryzias latipes, 96 h	Acrylic Polymer GMA	Not established 2.8 mg/l
------------------	--	------------------------	-----------------------------

TOXICITY TO DAPHNIA	EC <sub>50</sub> Daphnia magna, 48 h	Acrylic Polymer GMA	Not established 24.9 mg/l
---------------------	--------------------------------------	------------------------	------------------------------

TOXICITY TO ALGAE	EC <sub>50</sub> Pseudokirchneriella subcapitata, 72 h	Acrylic Polymer GMA	Not established 14.6 mg/l
-------------------	--	------------------------	------------------------------

PERSISTANCE AND DEGRADABILITY No data available

BIOACCUMULATIVE POTENTIAL No data available

MOBILITY IN SOIL No data available

OTHER ADVERSE EFFECTS None known

### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### **WASTE DISPOSAL**

Dispose of in accordance with local, state and federal regulations. This product, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This product could become a hazardous waste, if chemical additions are made or if the product is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste.

US EPA WASTE NUMBER & DESCRIPTION No information available

### **SECTION 14: TRANSPORT INFORMATION**

This section provides basic shipping classification information. Refer to appropriate transportation regulations for specific requirements.

#### **U.S. DOT**

Proper Shipping Name: Other regulated substances, solid,  
N.O.S., (Glycidyl Methacrylate, *residual*)  
Classification: 9  
UN#: NA3077  
Packing Group: III  
Hazard Label: CLASS 9

#### **ICAO / IATA**

Non-regulated

#### **IMDG**

Non-regulated

#### **ADR/RID**

Non-regulated

### **SECTION 15: REGULATORY INFORMATION**

The components in this product are either listed or exempt from listing due to polymer exemption criteria for the following chemical listing inventories as indicated by an "X":

AIIC	Australian Inventory of Industrial Chemicals	X
DSL	Canadian Domestic Substances List	X
ECL	Korean Existing Chemicals List	X
ENCS	Japanese Existing and New Chemical Substances	X
IECSC	Inventory of Existing Chemical Substances in China	X
NDSL	Canadian Non-Domestic Substances List	
NZIoC	New Zealand Inventory of Chemicals	X
PICCS	Philippines Inventory of Chemicals and Chemical Substances	
TCSI	Taiwan Chemical Substances List	X
TSCA	US Toxic Substances Control Act	X
VNECI	Vietnam National Existing Chemical Inventory	X

#### **INTERNATIONAL REGULATIONS**

##### **EU REGULATION**

(EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization, *Substances of Very High Concern*: This product does not contain any SVHC listed substances.

##### **REACH**

All components of this product are REACH registered per ECHA requirements.

##### **C.D. 96/82/EC**

Council Directive 96/82/EC, Annex I not mentioned by name. With regard to possibly appropriate decomposition products see Chapter 10.

#### **FEDERAL REGULATIONS**

##### **SARA 313**

This product does not contain any chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

##### **SARA Section 311/312 (40 CFR 370) Hazard Categories**

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	Yes
Pressure Hazard	No
Reactivity Hazard	No

CERCLA	This product, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional or state level pertaining to releases of this product.
CLEAN WATER ACT	This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).
CLEAN AIR ACT	This product does not contain any substances regulated as hazardous air pollutants (HAPS under Section 112 of the Clean Air Act Amendments of 1990.
OTHER FEDERAL	None known
U.S. STATE REGULATIONS	
RIGHT TO KNOW	The Listing requirements of the Right to Know (RTK) legislation varies by state. All information for NJ, PA, MA and other states can be derived from the listing of hazardous and non-hazardous components in Sections 2 and 15 of this Safety Data Sheet.
CALIFORNIA PROP 65	No substances known to the state of California to cause cancer and/or reproductive toxicity were intentionally included in this product. However, the product may contain unknown trace amounts of substances known to the state of California to cause cancer and/or reproductive toxicity: (styrene).

#### **SECTION 16: OTHER INFORMATION**

DISCLAIMER	This product is intended for industrial use only and should be used in accordance with the manufacturer's recommendations. Some of the information presented and conclusions drawn herein are from sources other than direct test data on the product itself. The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. This SDS has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200).
DATE OF REVISION	September 29, 2022, <i>replaces the October 12, 2020 version.</i>
REASON FOR REVISION	Changed product name to Isocryl® GMA-300G pursuant to PCF22-013.
SDS PREPARED BY	Glen Pearson
SDS APPROVED BY	Robert Auerbach