

GHS COMPLIANT SAFETY DATA SHEET

TO COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR.1910.1200 & THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS

SECTION 1: IDENTIFICATION

PRODUCT NAME Escat 65

MFR.'S CODE ID/SYNONYMS Escat 65

CAS NUMBER Mixture (see Sections 3 or 8)

PRODUCT USE Catalyst for powder coatings

RESTRICTIONS ON USE For industrial use only

MANUFACTURER/SUPPLIER Estron Chemical, Inc.

ADDRESS 807 North Main Street, Calvert City, KY 42029 USA

GENERAL INFORMATION (270) 395-4195

EMERGENCY TELEPHONE CHEMTREC (800) 424-9300

SECTION 2: HAZARDS IDENTIFICATION

Signal Word: Warning

GHS Classification

<u> </u>				
Physical	Health	Environmental		
OSHA Combustible Dust	Skin Irritation – Category 2	None		
	Eye Irritation – Category 2A			
	Specific Target Organ Toxicity, Single			
	Exposure – Category 3			

GHS Label

Symbols: Exclamation Point

Hazard Statements	Precautionary Statements
H315: Causes skin irritation	Prevention

H319: Causes serious eye irritation

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash exposed skin thoroughly after handling.

May form combustible dust concentrations in air. P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

P302+352: IF ON SKIN: Wash with soap and water.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do – continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P321: Specific treatment (see supplemental first aid instructions on this label)

P332+313: If skin irritation occurs: Get medical advice/attention.

P337+313: If eye irritation persists get medical advice/attention.

P362+P364: Take off immediately all contaminated clothing and wash it before

reuse.

Storage

P403+233: Store in a well ventilated place. Keep container tightly closed.

P405: Store locked up.

	Disposal P501: Dispose of contents/container to an authorized hazardous waste handler.
--	--

HAZARDS NOT OTHERWISE CLASSIFIED: None identified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS	CAS#	%	CLASSIFICATION	H Codes
2-Propylimidazole	50995-95-4	60 - 65	Skin Irritation – Category 2	H315
			Eye Irritation – Category 2A	H319
			Specific Target Organ Toxicity, Single Exposure –	H335
			Category 3A	
Silica, Amorphous, Precipitated	112926-00-8	35 - 40	OSHA Combustible Dust (when blended with 2-	None
			Propylimidazole)	

(See Section 8 for Exposure Limits)

Contains no detectable crystalline silica (detection limit <0.1% by weight).

SECTION 4: FIRST-AID MEASURES

SYMPTOMS OF EXPOSURE

ACUTE Skin, eye, nose or throat irritation.

DELAYED Stinging, tearing, redness and swelling of the eyes. Coughing or other irritiation of the respiratory

tract. Dryness, itching, redness, blistering or burning of the skin.

INHALATION May cause respiratory irritation. Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

SKIN CONTACT Causes skin irritation. Take off immediately all contaminated clothing and wash it before reuse.

Wash thoroughly with soap and water. If skin irritation persists consult a doctor.

EYE CONTACT Causes serious eye irritation. Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing. If eye irritation persists get medical

advice/attention.

INGESTION If ingested, seek medical attention.

SPECIFIC TREATMENT No other specific treatments are known or have been identified.

SECTION 5: FIRE FIGHTING MEASURES

FLAMMABILITY CLASSIFICATION OSHA Combustible Dust FLAMMABLE LIMITS No test data available

HAZARDOUS COMBUSTION PRODUCTS Carbon monoxide and carbon dioxide.

EXTINGUISHING MEDIA Dry Chemical, Water Fog, CO₂

UNUSUAL FIRE AND EXPLOSION HAZARDS May represent a combustion hazard if dust from this material is allowed to

accumulate in the air.

SPECIAL FIRE FIGHTING PROCEDURES None known.

SPECIAL PROTECTIVE EQUIPMENT AND
As in any fire, wear self-contained positive-pressure breathing apparatus,
(MSHA/NIOSH approved or equivalent) and full (Bunker) protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS Prevent contact with skin, eyes and clothing.

PROTECTIVE EQUIPMENT See Personal Protective Equipment in Section 8.

EMERGENCY PROCEDURES Avoid unnecessary exposure to bystanders, prevent contact with open flames or other

ignition sources.

ENVIRONMENTAL PRECAUTIONS Obey relevant local, state, provincial and federal laws and regulations. Do not allow

the product to enter public drainage systems or open water courses.

METHODS AND MATERIALS FOR

CLEANING UP

Avoid creating excessive dust while collecting. Sweep or scoop into a suitable

container for disposal.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING Do not allow dust to concentrate in the air from handling. If necessary, use local

ventilation. Handle in accordance with good industrial hygiene and safety practice.

Take precautionary measures against static discharges.

CONDITIONS FOR SAFE STORAGE Keep container tightly closed and store in a dry, well ventilated area away from heat

and sources of ignition. The product shelf life is two years from date of manufacture in

an unopened container stored at 20 °C.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

OSHA PEL **INGREDIENTS** CAS# ACGIH TLV 50995-95-4 60 - 652-Propylimidazole None established None established Silica, Amorphous, Precipitated 5 mg/m³ (Respirable) 112926-00-8 35 - 40 10mg/m^3

APPROPRIATE ENGINEERING CONTROLS None required.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE Safety glasses or goggles.

SKIN Impervious protective gloves and clothing as appropriate to avoid skin contact.

RESPIRATORY An appropriate NIOSH approved respirator for Dust.

HYGIENE MEASURES Handle in accordance with good industrial hygiene and safety practices. When using, do not

eat, drink or smoke. Wash face and hands before breaks and at the end of work. Wash

contaminated clothing before re-use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE White to off-white powder **ODOR** Very mild, fishy No test data available ODOR THRESHOLD No test data available pН

>200 °C MELTING POINT No test data available BOILING POINT/RANGE

FLASH POINT Over 200 °F EVAPORATION RATE No test data available

FLAMMABILITY OSHA Combustible Dust

FLAMMABLE LIMITS LOWER No test data available UPPER No test data available

VAPOR PRESSURE No test data available VAPOR DENSITY No test data available 1.26 @ 20 °C No test data available RELATIVE DENSITY SOLUBILITY IN H2O AUTOIGNITION

PARTITION COEFFICIENT

No test data available No test data available **TEMPERATURE** (n-octanol/water)

DECOMPOSITION

TEMPERATURE $> 250 \, {}^{\circ}\text{C}$ VISCOSITY No test data available % VOLATILE 2 Maximum SOFTENING POINT Not applicable

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY This product does not pose a significant reactivity hazard when stored

appropriately (see Section 7).

STABILITY This product is stable when stored appropriately (see Section 7).

CONDITIONS TO AVOID Excessive heat and open flame, material dust accumulation.

INCOMPATIBILE PRODUCTS Strong oxidizing or reducing agents.

HAZARDOUS DECOMPOSITION PRODUCTS Carbon dioxide and carbon monoxide.

POSSIBILITY OF HAZARDOUS REACTIONS Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

SYMPTOMS OF EXPOSURE

ACUTE Skin, eye, nose or throat irritation.

DELAYED Stinging, tearing, redness and swelling of the eyes. Coughing or other irritiation of the

respiratory tract. Dryness, itching, redness, blistering or burning of the skin.

ACUTE TOXICITY

INHALATION May cause respiratory irritation.

SKIN Causes skin irritation.

EYES Causes serious eye irritation.

INGESTION Not likely to have harmful effects in normal exposures, may cause nausea or gastric distress

if ingested in quantity.

INHALATION TOXICITY 0.139 mg/lLC50 Rat Silica

2-Propylimidazole Not established

DERMAL TOXICITY LD₅₀ Rabbit Silica >5000 mg/kg

Not established 2-Propylimidazole

SKIN IRRITATION Draize, Rabbit, 24 hours Not established Silica

2-Propylimidazole Not established

Known irritant for skin and mucus membrane

EYE IRRITATION Draize, Rabbit, 24 hours Silica Not established

2-Propylimidazole Not established

Known irritant

ORAL TOXICITY LD₅₀ Rat Silica >1000 mg/kg

Not established 2-Propylimidazole

SENSITIZATION Draize, Rabbit Not established

CHRONIC EFFECTS

CARCINOGENICITY Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65

MUTAGENIC EFFECTS None known

REPRODUCTIVE TOXICITY None known

TARGET ORGAN EFFECTS None known

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY Not known to be harmful to aquatic life.

TOXICITY TO FISH LC₅₀ Brachydanio rerio, 96 h Silica >10,000 mg/l

2-Propylimidazole Not established

TOXICITY TO DAPHNIA EC₅₀ Daphnia magna, 24 h Silica >10,000 mg/l2-Propylimidazole Not established

PERSISTANCE AND DEGRADABILITY No data available

BIOACCUMULATIVE POTENTIAL No data available

MOBILITY IN SOIL No data available

OTHER ADVERSE EFFECTS None known

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL Dispose of in accordance with local, state and federal regulations. This

product, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This product could become a hazardous waste, if chemical additions are made or if the product is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste.

US EPA WASTE NUMBER & DESCRIPTION No information available

SECTION 14: TRANSPORT INFORMATION

This section provides basic shipping classification information. Refer to appropriate transportation regulations for specific requirements.

DOT	Not regulated	TDG	Not regulated	MEX	Not regulated
ICAO	Not regulated	IATA	Not regulated	IMDG/IMO	Not regulated
RID	Not regulated	ADR	Not regulated	ADN	Not regulated

SECTION 15: REGULATORY INFORMATION

The components in this product are either listed or exempt from listing due to polymer exemption criteria for the following chemical listing inventories as indicated by an "X":

AICS	Australian Inventory of Chemical Substances	
DSL	Canadian Domestic Substances List	X
ECL	Korean Existing Chemicals List	
ENCS	Japanese Existing and New Chemical Substances	X
IECSC	Inventory of Existing Chemical Substances in China	X
NDSL	Canadian Non-Domestic Substances List	
NZIoC	New Zealand Inventory of Chemicals	X
PICCS	Philippines Inventory of Chemicals and Chemical Substances	
SWISS	Giftliste 1 and Inventory of Notified New Substances	X
TCSI	Taiwan Chemical Substances List	X
TSCA	US Toxic Substances Control Act	X
VNECI	Vietnam National Existing Chemical Inventory	

INTERNATIONAL REGULATIONS

EU REGULATION (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization,

Substances of Very High Concern: This product does not contain any SVHC listed substances.

REACH One or more components of this product are not REACH registered. Import quantities may be

subject to limitation.

C.D. 96/82/EC Council Directive 96/82/EC, Annex I not mentioned by name. With regard to possibly appropriate

decomposition products see Chapter 10.

FEDERAL REGULATIONS

SARA 313 This product does not contain any chemicals which are subject to the reporting requirements of

Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) (40 CFR

355).

SARA Section 311/312 (40 CFR 370) Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	Yes
Pressure Hazard	No
Reactivity Hazard	No

CERCLA

This product, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional or state level pertaining to releases of this product.

CLEAN WATER ACT This product does not contain any substances regulated as pollutants pursuant to the Clean Water

Act (40 CFR 122.21 and 40 CFR 122.42).

CLEAN AIR ACT This product does not contain any substances regulated as hazardous air pollutants (HAPS under

Section 112 of the Clean Air Act Amendments of 1990.

OTHER FEDERAL This product contains amorphous silica. A new CAS# 112926-00-8 has been assigned to

Amorphous Precipitated Silica to distinguish it from the crystalline. According to EPA this product

meets TSCA requirements and is listed on the TSCA Inventory as Silica CAS# 7631-86-9.

U.S. STATE REGULATIONS

RIGHT TO KNOW The Listing requirements of the Right to Know (RTK) legislation varies by state. All information

for NJ, PA, MA and other states can be derived from the listing of hazardous and non-hazardous

components in Sections 2 and 15 of this Safety Data Sheet.

CALIFORNIA PROP 65 No substances known to the state of California to cause cancer and/or reproductive toxicity were

intentionally added to this product; however, this product may contain unknown trace amounts of

substances known to the state of California to cause cancer and/or reproductive toxicity.

SECTION 16: OTHER INFORMATION

DISCLAIMER

This product is intended for industrial use only and should be used in accordance with the manufacturer's recommendations. Some of the information presented and conclusions drawn herein are from sources other than direct test data on the product itself. The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. This SDS has been prepared in accordance with the requirements of the OSHA

Hazard Communication Standard (29 CFR 1910.1200).

October 21, 2020, replaces the August 19, 2019 version. DATE OF REVISION

REASON FOR REVISION Added Shelf Life statement to Section 7.

SDS PREPARED BY Glen Pearson

SDS APPROVED BY Robert Auerbach