

**GHS COMPLIANT SAFETY DATA SHEET**

 TO COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR.1910.1200  
 & THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS

**SECTION 1: IDENTIFICATION**

|                         |   |
|-------------------------|---|
| PRODUCT NAME            | Resiflow® P-67A                                   |
| MFR.'S CODE ID/SYNONYMS | Resiflow® P-67A                                   |
| CAS NUMBER              | Proprietary                                       |
| PRODUCT USE             | Flow control additive for paints and coatings     |
| RESTRICTIONS ON USE     | For industrial use only                           |
| MANUFACTURER/SUPPLIER   | Estron Chemical, Inc.                             |
| ADDRESS                 | 807 North Main Street, Calvert City, KY 42029 USA |
| GENERAL INFORMATION     | (270) 395-4195                                    |
| EMERGENCY TELEPHONE     | CHEMTREC (800) 424-9300                           |

**SECTION 2: HAZARDS IDENTIFICATION**
**Signal Word:** *Warning*
**GHS Classification**

| Physical              | Health | Environmental |
|-----------------------|--------|---------------|
| OSHA Combustible Dust | None   | None          |

**GHS Label**

|  |   |
|--|---|
| <b>Symbols:</b> <i>No symbol</i>   |   |
| <b>Hazard Statements</b><br>May form combustible dust concentrations in air. | <b>Precautionary Statements</b><br>None |

HAZARDS NOT OTHERWISE CLASSIFIED: None identified.

**SECTION 3: COMPOSITION/ INFORMATION ON INGREDIENTS**

| HAZARDOUS INGREDIENTS           | CAS #       | %       | CLASSIFICATION   | H Codes     |
|---------------------------------|-------------|---------|--|-------------|
| Silica, Amorphous, Precipitated | 112926-00-8 | 30 - 35 | OSHA Combustible Dust<br>(when blended with acrylic polymer) | <i>None</i> |

*(See Section 8 for Exposure Limits) Contains no detectable crystalline silica (detection limit <0.1% by weight).*

| NON-HAZARDOUS INGREDIENTS | CAS #       | %       |
|---------------------------|-------------|---------|
| Acrylic Polymers          | Proprietary | 65 - 70 |

**SECTION 4: FIRST-AID MEASURES**
**SYMPTOMS OF EXPOSURE**

|         |  |
|---------|--|
| ACUTE   | Temporary mild skin, eye, nose or throat irritation.   |
| DELAYED | Stinging, tearing, redness and swelling of the eyes. Coughing or other irritation of the respiratory tract. Dryness, redness or burning of the skin. |

**INHALATION** Not applicable, unless heated past the decomposition point or dust is allowed to accumulate in the air while handling. If so, remove to fresh air.

|                    |   |
|--------------------|---|
| SKIN CONTACT       | Mildly irritating to the skin. Wash thoroughly with soap and water. If skin irritation persists consult a doctor. |
| EYE CONTACT        | Mildly irritating to the eyes. Wash with plenty of water for 15 minutes. Consult a physician.                     |
| INGESTION          | If ingested, seek medical attention.  |
| SPECIFIC TREATMENT | No other specific treatments are known or have been identified.   |

### **SECTION 5: FIRE FIGHTING MEASURES**

|  |   |
|--|---|
| FLAMMABILITY CLASSIFICATION                                    | OSHA Combustible Dust   |
| FLAMMABLE LIMITS   | No test data available  |
| HAZARDOUS COMBUSTION PRODUCTS                                  | Carbon monoxide and carbon dioxide.   |
| EXTINGUISHING MEDIA  | Dry Chemical, Water Fog, CO <sub>2</sub>  |
| UNUSUAL FIRE AND EXPLOSION HAZARDS                             | May represent a combustion hazard if dust from this material is allowed to accumulate in the air.   |
| SPECIAL FIRE FIGHTING PROCEDURES                               | None known.   |
| SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS | As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full (Bunker) protective gear. |

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

|                                       |   |
|---------------------------------------|---|
| PERSONAL PRECAUTIONS                  | Avoid contact with skin, eyes and clothing.   |
| PROTECTIVE EQUIPMENT                  | See Personal Protective Equipment in Section 8.   |
| EMERGENCY PROCEDURES                  | Avoid unnecessary exposure to bystanders, prevent contact with open flames or other ignition sources.   |
| ENVIRONMENTAL PRECAUTIONS             | Obey relevant local, state, provincial and federal laws and regulations. Do not allow the product to enter public drainage systems or open water courses. |
| METHODS AND MATERIALS FOR CLEANING UP | Avoid creating excessive dust while collecting. Sweep or scoop into a suitable container for disposal.  |

### **SECTION 7: HANDLING AND STORAGE**

|                               |   |
|-------------------------------|---|
| PRECAUTIONS FOR SAFE HANDLING | Do not allow dust to concentrate in the air from handling. If necessary, use local ventilation. Handle in accordance with good industrial hygiene and safety practice. Take precautionary measures against static discharges. |
| CONDITIONS FOR SAFE STORAGE   | Store in a dry, cool area and avoid excessive heat. Keep containers tightly closed.   |

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

| INGREDIENTS                     | CAS #       | %       | ACGIH TLV               | OSHA PEL                                  |
|---------------------------------|-------------|---------|-------------------------|---|
| Acrylic Polymer                 | Proprietary | 65 - 70 | <i>None established</i> | <i>None established</i>                   |
| Silica, Amorphous, Precipitated | 112926-00-8 | 30 - 35 | 10mg/m <sup>3</sup>     | 5 mg/m <sup>3</sup> ( <i>Respirable</i> ) |

APPROPRIATE ENGINEERING CONTROLS None required.

#### PERSONAL PROTECTIVE EQUIPMENT

|             |   |
|-------------|---|
| EYE/FACE    | Safety glasses or goggles.  |
| SKIN        | Impervious protective gloves and clothing as appropriate to avoid skin contact. |
| RESPIRATORY | An appropriate NIOSH approved respirator for Dust.                              |

HYGIENE MEASURES Handle in accordance with good industrial hygiene and safety practices. When using, do not eat, drink or smoke. Wash face and hands before breaks and at the end of work. Wash contaminated clothing before re-use.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

|  |                              |                                |                        |
|--|------------------------------|--------------------------------|------------------------|
| APPEARANCE                                 | White powder                 | ODOR                           | Very mild, esteric     |
| ODOR THRESHOLD                             | No test data available       | pH                             | No test data available |
| MELTING POINT                              | No test data available       | BOILING POINT/RANGE            | >200 °C                |
| FLASH POINT                                | Over 200 °F                  | EVAPORATION RATE               | No test data available |
| FLAMMABILITY                               | OSHA Combustible Dust        |                                |                        |
| FLAMMABLE LIMITS                           | LOWER No test data available | UPPER                          | No test data available |
| VAPOR PRESSURE                             | No test data available       | VAPOR DENSITY                  | No test data available |
| RELATIVE DENSITY                           | 1.26 @ 20 °C                 | SOLUBILITY IN H <sub>2</sub> O | Not readily soluble    |
| PARTITION COEFFICIENT<br>(n-octanol/water) | No test data available       | AUTOIGNITION<br>TEMPERATURE    | No test data available |
| DECOMPOSITION<br>TEMPERATURE               | > 250 °C                     | VISCOSITY                      | No test data available |
| % VOLATILE                                 | 2 Maximum                    | SOFTENING POINT                | Not applicable         |

## **SECTION 10: STABILITY AND REACTIVITY**

|                                    |   |
|------------------------------------|---|
| REACTIVITY                         | This product does not pose a significant reactivity hazard when stored appropriately (see Section 7). |
| STABILITY                          | This product is stable when stored appropriately (see Section 7).                                     |
| CONDITIONS TO AVOID                | Excessive heat and open flame, material dust accumulation.  |
| INCOMPATIBLE PRODUCTS              | Strong oxidizing or reducing agents.  |
| HAZARDOUS DECOMPOSITION PRODUCTS   | Carbon dioxide and carbon monoxide.   |
| POSSIBILITY OF HAZARDOUS REACTIONS | Will not occur  |

## **SECTION 11: TOXICOLOGICAL INFORMATION**

|                       |  |                 |
|-----------------------|--|-----------------|
| SYMPTOMS OF EXPOSURE  |  |                 |
| ACUTE                 | Temporary mild skin, eye, nose or throat irritation.   |                 |
| DELAYED               | Stinging, tearing, redness and swelling of the eyes. Coughing or other irritation of the respiratory tract. Dryness, redness or burning of the skin. |                 |
| ACUTE TOXICITY        |  |                 |
| INHALATION            | May be mildly irritating.  |                 |
| SKIN                  | In some cases, eye contact will cause mild, but reversible, irritation.  |                 |
| EYES                  | In some cases, skin contact will cause mild, but reversible, irritation.   |                 |
| INGESTION             | Not likely to have harmful effects in normal exposures, may cause nausea or gastric distress if ingested in quantity.                                |                 |
| INHALATION TOXICITY   | LC <sub>50</sub> Rat   | Not established |
| DERMAL TOXICITY       | LD <sub>50</sub> Rat   | Not established |
| SKIN IRRITATION       | Draize, Rabbit, 24 hours   | Not established |
| EYE IRRITATION        | Draize, Rabbit, 24 hours   | Not established |
| ORAL TOXICITY         | LD <sub>50</sub> Rat   | Not established |
| SENSITIZATION         | Draize, Rabbit   | Not established |
| CHRONIC EFFECTS       |  |                 |
| CARCINOGENICITY       | Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65  |                 |
| MUTAGENIC EFFECTS     | None known   |                 |
| REPRODUCTIVE TOXICITY | None known   |                 |



## INTERNATIONAL REGULATIONS

|               |  |
|---------------|--|
| EU REGULATION | (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization, <i>Substances of Very High Concern</i> : This product does not contain any SVHC listed substances. |
| REACH         | All components of this product are REACH registered per ECHA requirements.   |
| C.D. 96/82/EC | Council Directive 96/82/EC, Annex I not mentioned by name. With regard to possibly appropriate decomposition products see Chapter 10.  |

## FEDERAL REGULATIONS

SARA 313 This product does not contain any chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

### SARA Section 311/312 (40 CFR 370) Hazard Categories

|                       |     |
|-----------------------|-----|
| Acute Health Hazard   | No  |
| Chronic Health Hazard | No  |
| Fire Hazard           | Yes |
| Pressure Hazard       | No  |
| Reactivity Hazard     | No  |

CERCLA This product, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional or state level pertaining to releases of this product.

CLEAN WATER ACT This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CLEAN AIR ACT This product does not contain any substances regulated as hazardous air pollutants (HAPS under Section 112 of the Clean Air Act Amendments of 1990).

OTHER FEDERAL None known

## U.S. STATE REGULATIONS

RIGHT TO KNOW The Listing requirements of the Right to Know (RTK) legislation varies by state. All information for NJ, PA, MA and other states can be derived from the listing of hazardous and non-hazardous components in Sections 2 and 15 of this Safety Data Sheet.

CALIFORNIA PROP 65 No substances known to the state of California to cause cancer and/or reproductive toxicity were intentionally added to this product; however, this product may contain unknown trace amounts of substances known to the state of California to cause cancer and/or reproductive toxicity.

## **SECTION 16: OTHER INFORMATION**

DISCLAIMER This product is intended for industrial use only and should be used in accordance with the manufacturer's recommendations. Some of the information presented and conclusions drawn herein are from sources other than direct test data on the product itself. The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. This SDS has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200).

DATE OF REVISION August 6, 2018, *replaces the September 13, 2017 version.*

REASON FOR REVISION Revised the REACH statement in section 15.

SDS PREPARED BY Glen Pearson

SDS APPROVED BY Robert Auerbach