

GHS COMPLIANT SAFETY DATA SHEET

TO COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR.1910.1200 & THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS

SECTION 1: IDENTIFICATION

PRODUCT NAME Oxymelt A-2

MFR.'S CODE ID/SYNONYMS Oxymelt A-2

CAS NUMBER Proprietary

PRODUCT USE Degasser for Powder Coatings

RESTRICTIONS ON USE For Industrial Use Only

MANUFACTURER/SUPPLIER Estron Chemical, Inc.

ADDRESS 807 North Main Street, Calvert City, KY 42029 USA

GENERAL INFORMATION (270) 395-4195

EMERGENCY TELEPHONE CHEMTREC (800) 424-9300

SECTION 2: HAZARDS IDENTIFICATION

Signal Word: Warning

GHS Classification

Physical	Health	Environmental
OSHA Combustible Dust	None	None

GHS Label

Symbols: No symbol	
Hazard Statements	Precautionary Statements
May form combustible dust concentrations in air.	None

HAZARDS NOT OTHERWISE CLASSIFIED: None identified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	CAS#	%	CLASSIFICATION	H Codes
Silica, Amorphous, Precipitated	112926-00-8	30 - 35	OSHA Combustible Dust (when blended with acrylic	None
			polymer)	

(See Section 8 for Exposure Limits) Contains no detectable crystalline silica (detection limit <0.1% by weight).

NON-HAZARDOUS INGREDIENTS	CAS#	%
Proprietary Composition	TSCA Listed	65 - 70

SECTION 4: FIRST-AID MEASURES

SYMPTOMS OF EXPOSURE

ACUTE Temporary mild skin, eye, nose or throat irritation.

DELAYED Stinging, tearing, redness and swelling of the eyes. Coughing or other irritiation of the respiratory

tract. Dryness, redness or burning of the skin.

INHALATION Not applicable, unless heated past the decomposition point or dust is allowed to accumulate in the

air while handling. If so, remove to fresh air.

SKIN CONTACT Mildly irritating to the skin. Wash thoroughly with soap and water. If skin irritation persists consult

a doctor.

EYE CONTACT Mildly irritating to the eyes. Wash with plenty of water for 15 minutes. Consult a physician.

INGESTION If ingested, seek medical attention.

SPECIFIC TREATMENT No other specific treatments are known or have been identified.

SECTION 5: FIRE FIGHTING MEASURES

FLAMMABILITY CLASSIFICATION OSHA Combustible Dust

FLAMMABLE LIMITS No test data available

HAZARDOUS COMBUSTION PRODUCTS Carbon monoxide and carbon dioxide.

EXTINGUISHING MEDIA Dry Chemical, Water Fog, CO₂

UNUSUAL FIRE AND EXPLOSION HAZARDS May represent a combustion hazard if dust from this material is allowed to

accumulate in the air.

SPECIAL FIRE FIGHTING PROCEDURES None known.

SPECIAL PROTECTIVE EQUIPMENT AND

As in any fire, wear self-contained positive-pressure breathing apparatus,

PRECAUTIONS FOR FIRE FIGHTERS (MSHA/NIOSH approved or equivalent) and full (Bunker) protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS Avoid contact with skin, eyes and clothing.

PROTECTIVE EQUIPMENT See Personal Protective Equipment in Section 8.

EMERGENCY PROCEDURES Avoid unnecessary exposure to bystanders, prevent contact with open flames or other

ignition sources.

ENVIRONMENTAL PRECAUTIONS Obey relevant local, state, provincial and federal laws and regulations. Do not allow

the product to enter public drainage systems or open water courses.

METHODS AND MATERIALS FOR Avoid

CLEANING UP container

Avoid creating excessive dust while collecting. Sweep or scoop into a suitable

container for disposal.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING Do not allow dust to concentrate in the air from handling. If necessary, use local

ventilation. Handle in accordance with good industrial hygiene and safety practice.

Take precautionary measures against static discharges.

CONDITIONS FOR SAFE STORAGE Store in cool areas. Keep containers closed. The product shelf life is two years from

date of manufacture in an unopened container stored at 20 °C.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

 INGREDIENTS
 CAS #
 %
 ACGIH TLV
 OSHA PEL

 Proprietary Composition
 TSCA Listed
 65 - 70
 None established
 None established

 Silica, Amorphous, Precipitated
 112926-00-8
 30 - 35
 10mg/m³
 5 mg/m³ (Respirable)

APPROPRIATE ENGINEERING CONTROLS None required.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE Safety glasses or goggles.

SKIN Impervious protective gloves and clothing as appropriate to avoid skin contact.

RESPIRATORY An appropriate NIOSH approved respirator for Dust.

HYGIENE MEASURES Handle in accordance with good industrial hygiene and safety practices. When using, do not eat,

drink or smoke. Wash face and hands before breaks and at the end of work. Wash contaminated

clothing before re-use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE White powder ODOR Very mild, esteric ODOR THRESHOLD No test data available pH No test data available

MELTING POINT No test data available BOILING POINT/RANGE >200 °C

FLASH POINT Over 200 °F EVAPORATION RATE No test data available

FLAMMABILITY OSHA Combustible Dust

FLAMMABLE LIMITS LOWER No test data available UPPER No test data available

VAPOR PRESSURE No test data available VAPOR DENSITY No test data available RELATIVE DENSITY 1.25 @ 20 °C SOLUBILITY IN H₂O Not readily soluble

PARTITION COEFFICIENT

(n-octanol/water) No test data available TEMPERATURE No test data available

DECOMPOSITION

TEMPERATURE > 250 °C VISCOSITY No test data available % VOLATILE 2 Maximum SOFTENING POINT Not applicable

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY This product does not pose a significant reactivity hazard when stored

appropriately (see Section 7).

AUTOIGNITION

STABILITY This product is stable when stored appropriately (see Section 7).

CONDITIONS TO AVOID Excessive heat and open flame, material dust accumulation.

INCOMPATIBILE PRODUCTS Strong oxidizing or reducing agents.

HAZARDOUS DECOMPOSITION PRODUCTS Carbon dioxide and carbon monoxide.

POSSIBILITY OF HAZARDOUS REACTIONS Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

SYMPTOMS OF EXPOSURE

ACUTE Temporary mild skin, eye, nose or throat irritation.

DELAYED Stinging, tearing, redness and swelling of the eyes. Coughing or other irritiation of the

respiratory tract. Dryness, redness or burning of the skin.

ACUTE TOXICITY

INHALATION May be mildly irritating.

SKIN In some cases, skin contact will cause mild, but reversible, irritation.

EYES In some cases, eye contact will cause mild, but reversible, irritation.

INGESTION Not likely to have harmful effects in normal exposures, may cause nausea or gastric distress

if ingested in quantity.

INHALATION TOXICITY LC₅₀ Rat Not established DERMAL TOXICITY LD₅₀ Rat Not established SKIN IRRITATION Draize, Rabbit, 24 hours Not established EYE IRRITATION Draize, Rabbit, 24 hours Not established ORAL TOXICITY LD₅₀ Rat Not established SENSITIZATION Draize, Rabbit Not established

CHRONIC EFFECTS

CARCINOGENICITY Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65

MUTAGENIC EFFECTS None known
REPRODUCTIVE TOXICITY None known

None known

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY Not known to be harmful to aquatic life.

TOXICITY TO FISH LC50 Brachydanio rerio, 96 h Polymers Not established

Silica >10,000 mg/l

Silica >10,000 mg/l

PERSISTANCE AND

DEGRADABILITY No data available

BIOACCUMULATIVE

POTENTIAL No data available

MOBILITY IN SOIL No data available

OTHER ADVERSE

EFFECTS None known

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL Dispose of in accordance with local, state and federal regulations. This product,

as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This product could become a hazardous waste, if chemical additions are made or if the product is processed or otherwise altered. Consult 40 CFR 261 to

determine whether the altered material is a hazardous waste.

US EPA WASTE NUMBER & DESCRIPTION No information available

SECTION 14: TRANSPORT INFORMATION

This section provides basic shipping classification information. Refer to appropriate transportation regulations for specific requirements.

DOT	Not regulated	TDG	Not regulated	MEX	Not regulated
ICAO	Not regulated	IATA	Not regulated	IMDG/IMO	Not regulated
RID	Not regulated	ADR	Not regulated	ADN	Not regulated

SECTION 15: REGULATORY INFORMATION

The components in this product are either listed or exempt from listing due to polymer exemption criteria for the following chemical listing inventories as indicated by an "X":

AIIC	Australian Inventory of Industrial Chemicals	X
DSL	Canadian Domestic Substances List	X
ECL	Korean Existing Chemicals List	X
ENCS	Japanese Existing and New Chemical Substances	
IECSC	Inventory of Existing Chemical Substances in China	X
INSQ	National Inventory of Chemical Substances in Mexico	
NDSL	Canadian Non-Domestic Substances List	
NZIoC	New Zealand Inventory of Chemicals	
PICCS	Philippines Inventory of Chemicals and Chemical Substances	
TCSI	Taiwan Chemical Substances List	X
TSCA	US Toxic Substances Control Act	X
VNECI	Vietnam National Existing Chemical Inventory	X

INTERNATIONAL REGULATIONS

EU REGULATION (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization, Substances

of Very High Concern: This product does not contain any SVHC listed substances.

REACH All components of this product are REACH registered per ECHA requirements.

C.D. 96/82/EC

Council Directive 96/82/EC, Annex I not mentioned by name. With regard to possibly appropriate decomposition products see Chapter 10.

FEDERAL REGULATIONS

SARA 313

This product does not contain any chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA Section 311/312 (40 CFR 370) Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	Yes
Pressure Hazard	No
Reactivity Hazard	No

CERCLA

This product, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional or state level pertaining to releases of this product.

CLEAN WATER ACT

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CLEAN AIR ACT

This product does not contain any substances regulated as hazardous air pollutants (HAPS under Section 112 of the Clean Air Act Amendments of 1990.

Section 112 of the Clean 7th 7tet 7thiene

OTHER FEDERAL None known

U.S. STATE REGULATIONS

RIGHT TO KNOW

The Listing requirements of the Right to Know (RTK) legislation varies by state. All information for NJ, PA, MA and other states can be derived from the listing of hazardous and non-hazardous components in Sections 2 and 15 of this Safety Data Sheet.

CALIFORNIA PROP 65

No substances known to the state of California to cause cancer and/or reproductive toxicity were intentionally included in this product. However, the product may contain unknown trace amounts of substances known to the state of California to cause cancer and/or reproductive toxicity: (2-ethylhexyl acrylate).

SECTION 16: OTHER INFORMATION

DISCLAIMER

This product is intended for industrial use only and should be used in accordance with the manufacturer's recommendations. Some of the information presented and conclusions drawn herein are from sources other than direct test data on the product itself. The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. This SDS has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200).

DATE OF REVISION

October 17, 2022, replaces the September 29, 2020 version.

REASON FOR REVISION Updated information in Section 15.

SDS PREPARED BY Glen Pearson

SDS APPROVED BY Robert Auerbach